

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently Amended) A laser comprising:

a laser medium comprising $H_2(1/p)$ where p is an integer and $1 \leq p \leq 137$,

a cavity comprising the laser medium, and

a power source to form an inverted population in ~~an~~ the energy level of $H_2(1/p)$.

2. (Original) The laser of claim 1 further comprising cavity mirrors and a laser-beam output.

3. (Currently Amended) The laser of claim 1 wherein the power source forms excited vibration-rotational levels of $H_2(1/p)$ and lasing occurs with a stimulated transition from at least one vibration-rotational level to at least another lower-energy-level other than one with a significant Boltzmann population at the cell neutral-gas temperature ~~such as one with both v and J = 0~~ wherein the vibration-rotational levels of $H_2(1/p)$ comprise the inverted population.

4. (Currently Amended) The laser of claim 1 wherein the laser light is within the range of wavelengths of at least one of ~~from about~~ infrared, visible, ultraviolet, extreme ultraviolet, ~~to and~~ soft X-ray.

5. (Currently Amended) The laser of claim 1 wherein the laser medium-
~~may~~ further comprises an activator molecule.

6. (Currently Amended) The laser of claim 5 wherein the activator molecule is at least one of chosen from O₂, N₂, CO₂, CO, NO₂, NO, and XX' where each of X and X' is a halogen atom that may be the same or different.

5. (Cancelled)

6. (Cancelled)

7. (Currently Amended) The laser of claim 6 claim 150 further comprising a particle beam.

8. (Original) The laser of claim 7 wherein the particle beam is an electron beam.

9. (Currently Amended) The laser of claim 6 claim 150 wherein the power source accelerates the energetic species particle.

10. (Currently Amended) The laser of claim 9 wherein the power source to cause energetic species may be is chosen from at least one of a particle beam such as an electron beam and microwave, high voltage, and RF discharges.

11. (Currently Amended) The laser of claim 5 further comprising a means to energetically excite the activator molecule such as at least one of comprising at least one of a particle beam such as an electron beam, microwave, glow, and RF discharge power.

12. (Currently Amended) The laser of claim 1 wherein the pumping power source may comprises a particle beam such as an electron beam.

13. (Currently Amended) The laser of claim 12 wherein the particle beam energy may be in the range of about ranges from 0.1 to 100 MeV, preferably on

~~the range of about 10 eV to 1 MeV, more preferably in the range of about 100 eV to 100 keV, and most preferably in the range of about 1 keV to 50 keV.~~

14. (Currently Amended) The laser of claim 12 wherein the particle beam current ~~may be in the range of about ranges from~~ $0.01 \mu\text{A}$ to 1000 A , ~~preferably on the range of about 0.1 pA to 100 A, more preferably in the range of about 1 μA to 10 A, and most preferably in the range of about 10 μA to 1 A.~~

15. (Original) The laser of claim 3 wherein the vibrational energies are given by

$$E_{vib} = p^2 0.515902 \text{ eV}$$

and the rotational energies are given by

$$E_{rot} = E_{J+1} - E_J = \frac{\hbar^2}{I} [J+1] = p^2 (J+1) 0.01509 \text{ eV}$$

within at least one of about $\pm 20\%$, $\pm 10\%$, and $\pm 5\%$ where p is an integer greater than one and J is an integer.

16. (Currently Amended) The laser of claim 3 where the energies of the emission is are given by

$$E_{vib-rot} = p^2 E_{vib v} \pm p^2 (J+1) E_{rot n_2}$$

wherein

$$E_{vib v} = vp^2 0.5159 \text{ eV}$$

$$-v(v-1)(1.23981 \times 10^{-4}) \frac{100hc \left(8.06573 \times 10^3 \frac{\text{cm}^{-1}}{\text{eV}} p^2 0.5159 \text{ eV} \right)^2}{4e(p^2 4.151 \text{ eV} + p^3 0.326469 \text{ eV})} \text{ eV}$$

and the rotational energies are given by

$$E_{rot} = E_{J+1} - E_J = \frac{\hbar^2}{I}[J+1] = p^2(J+1)0.01509 \text{ eV}$$

within at least one of about $\pm 20\%$, $\pm 10\%$, and $\pm 5\%$ where $v = 0, 1, 2, 3\dots$ integer, p is an integer greater than one, and J is an integer.

17. (Currently Amended) The laser of claim 1 wherein the medium ~~is comprises~~ at least one of H₂ (1/12), H₂ (1/13), and H₂ (1/14).
18. (Currently Amended) The laser of claim 17 wherein the wavelength ~~is useful for EUV lithography in the range of of laser light ranges from 5-20 nm.~~
19. (Currently Amended) The laser of ~~claim 2, claim 18~~ wherein the wavelength ~~is useful for EUV lithography and the mirrors comprise multilayer, thin film coatings such as distributed Bragg reflectors.~~
20. (Original) The laser of claim 19 wherein the wavelength is at least one of about 13.4 nm and 11.3 nm and the mirrors comprise Mo:Si ML.
21. (Currently Amended) The laser of ~~claim 1 claim 2,~~ wherein the exit for the beam output ~~is comprises~~ an ultraviolet transparent window ~~such as a MrF₂-window.~~
22. (Currently Amended) The laser of ~~claim 1 claim 2,~~ wherein the beam output ~~is comprises~~ a differentially pumped pin-hole optic.
23. (Currently Amended) The laser of claim 8 wherein the cavity further comprises an electron window ~~such as a SiN_x foil window.~~

24. (Currently Amended) The laser of claim 3 wherein the emission is due to at least one of the transitions P(1), P(2), P(3), P(4), P(5), and P(6) of H₂(1/4) at about 154.94 nm, 159.74 nm, 165.54 nm, 171.24 nm, 178.14 nm, and 183.14 nm, respectively, and transitions between these corresponding states.

25. (Withdrawn - Currently Amended) A laser comprising:
a plasma forming cell or reactor for the catalysis of atomic hydrogen producing power, a continuous stationary inverted H₂(1/p) population where p is an integer and 1 < p < 137, and novel hydrogen species and compositions of matter comprising new forms of hydrogen,

a source of catalyst,

a source of atomic hydrogen, and

means to form and output a laser beam.

26. (Withdrawn) The laser of claim 25 wherein the cell is capable of maintaining a vacuum or pressures greater than atmospheric pressure.

27. (Withdrawn) The laser of claim 25 wherein the catalysis of atomic hydrogen generates a plasma, power, and novel hydrogen species and compositions of matter comprising new forms of hydrogen.

28. (Withdrawn - Currently Amended) The laser of claim 25 wherein the means to form and output a laser beam comprises a cavity, cavity mirrors, and a beam output.

29. (Withdrawn - Currently Amended) The laser of claim 28 wherein the cavity comprises a reactor to catalyze atomic hydrogen to lower-energy states, and the

reactor is chosen from such as an rf-plasma reactor, a plasma electrolysis reactor, a barrier electrode reactor, an RF plasma reactor, a pressurized gas energy reactor, a gas discharge energy reactor, a microwave cell energy reactor, a combination of a glow discharge cell and a microwave reactor, a combination of a glow discharge cell and/or an RF plasma reactor, and an electron-beam plasma reactor.

30. (Withdrawn - Currently Amended) The laser of claim 25 wherein the reactor comprises a source of hydrogen; one of a solid, molten, liquid, and gaseous source of catalyst; a vessel containing comprising hydrogen and the catalyst wherein the reaction to form lower-energy hydrogen occurs by contact of the hydrogen with the catalyst; and a means for providing the lower-energy hydrogen product H₂(1/p) to the laser cavity to comprise the laser medium.

31. (Currently Amended) The laser of claim 1, wherein the laser medium comprises a plasma maintained by a particle beam, and wherein the cavity comprises a reactor to catalyze atomic hydrogen to lower-energy states, and a plasma is maintained by a particle beam such as an electron beam.

32. (Withdrawn - Currently Amended) The laser of claim 25 wherein [[a]]the plasma provides atomic hydrogen, or the cell further comprises a dissociator such as a filament, or metal such as platinum, palladium, titanium, or nickel that forms atomic hydrogen from the source of atomic hydrogen.

33. (Withdrawn) The laser of claim 25 where the source of catalyst is an excimer.

34. (Withdrawn - Currently Amended) The laser of claim 33 wherein the excimer is at least one of chosen from He₂*, Ne₂*, Ne₂*, and Ar₂*, and the catalyst is chosen from He⁺, Ne⁺, Ne⁺/H⁺ or and Ar⁺.

35. (Withdrawn) The laser of claim 33 wherein the excimer is formed by a high pressure discharge.

36. (Withdrawn) The laser of claim 35 wherein the discharge is one of a microwave, glow, RF, and electron-beam discharge.

37. (Withdrawn - Currently Amended) The laser of claim 25 comprising a noble-gas-catalyst source-hydrogen mixture which is maintained at high pressure in the range of about 100 mTorr to 100 atm, ~~preferably in the range of about 10 Torr to 10 atm, more preferably in range of about 100 Torr to 5 atm, and most preferably in the range of about 300 Torr to 2 atm.~~


38. (Withdrawn) The laser of claim 25 further comprising a source of ionization to form the catalyst from the source of catalyst.

39. (Withdrawn) The laser of claim 38 wherein the source of ionization to form the catalyst from the source of catalyst is at least one of an electron beam and an ionizing species.

40. (Withdrawn - Currently Amended) The laser of claim 39 wherein the ionizing species comprises is an ion such as O⁺.

41. (Withdrawn) The laser of claim 39 wherein the ionizing species reacts with a source of catalyst comprising a noble gas excimer to form the catalyst.

42. (Withdrawn) The laser of claim 41 wherein the source of catalyst is Ar_2^* , the ionizing species is O^+ which reacts to form the catalyst according to the reaction:



43. (Withdrawn - Currently Amended) The laser of claim 25 wherein the catalysis of hydrogen is maintained by a particle beam, microwave, glow, or RF discharge plasma of a source of atomic hydrogen and a source of catalyst such as argon to provide catalyst Ar^+ .

44. (Withdrawn - Currently Amended) The laser of claim 39 wherein a species such as oxygen may reacts with the source of catalyst such as Ar_2 to form the catalyst such as Ar^+ .

45. (Currently Amended) The laser of claim 1 wherein the ~~[[he]]~~ $\text{H}_2(1/p)$ pressure is maintained in the range of about 0.1 mTorr to 10,000 Torr, ~~preferably the $\text{H}_2(1/p)$ pressure is in the range of 10 mTorr to 100 Torr; more preferable the $\text{H}_2(1/p)$ pressure is in the range of 10 mTorr to 10 Torr, and most preferably, the $\text{H}_2(1/p)$ pressure is in the range of 10 mTorr to 1 torr.~~

46. (Currently Amended) The laser of claim 1, wherein the $\text{H}_2(1/p)$ flow rate ~~ranges from~~ is preferably about 0-1 standard liters per minute per cm^3 of vessel volume and ~~more preferably about 0.001-10 sccm per cm^3 of vessel volume.~~

47. (Currently Amended) The laser of claim 1, wherein~~[[,]]~~ the power density of the source of pumping power such as the electron-beam power is preferably ~~in the range of ranges from~~ about 0.01 W to about 100 W/ cm^3 vessel volume; ~~more preferably it is in the range of about 0.1 to 10 W/ cm^3 vessel volume.~~

48. (Currently Amended) The laser of claim 5 wherein the ~~mole fraction of activator molecule comprises a gas is in the range of having a mole fraction of 0.001% to 90%. Preferably it is in the range of about 0.01% to 10%, and most preferably it is in the range of about 0.01% to 1%. The flow rate and pressure are maintained according to that of H₂(1/p) to achieve these desired mole fractions.~~

49. (Original) The laser of claim 1 further comprising a catalyst cell, a catalyst, and a source of hydrogen to catalyze the formation of hydrogen to lower-energy states.

50. (Withdrawn) The laser of claim 25 where the pumping power to form the inverted population is from at least one of the external power supply and the power released from the catalysis of atomic hydrogen to lower-energy states.

51. (Original) The laser of claim 6 wherein energetic particles are formed by the catalysis of atomic hydrogen.

52. (Original) The laser of claim 6 wherein the pumping excitation for the formation of the inverted population or the excitation of the activator is due to collisions with energetic particles formed by the catalysis of atomic hydrogen.

53. (Original) The laser of claim 1 comprising a source of H₂(1/p).

54. (Withdrawn) The laser of claim 25 wherein H₂(1/p) is generated insitu from the catalysis of hydrogen to lower-energy states given by

$$E_n = -\frac{e^2}{n^2 8\pi \epsilon_0 a_H} = -\frac{13.598 \text{ eV}}{n^2}$$
$$n = \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \dots, \frac{1}{p}; \quad p \leq 137$$

which further react to form H₂(1/p).

55. (Withdrawn) The laser of claim 25 wherein the catalysis cell is also the laser cavity.

56. (Withdrawn) The laser of claim 25 wherein the reactor comprises a source of hydrogen; one of a solid, molten, liquid, and gaseous source of catalyst; a vessel containing hydrogen and the catalyst wherein the reaction to form lower-energy hydrogen occurs by contact of the hydrogen with the catalyst; and a means for providing the lower-energy hydrogen product H₂(1/p) to the laser cavity to comprise the laser medium.

57. (Withdrawn) The laser of claim 25 wherein the formation of the inverted population is due to at least one of input power and catalysis of atomic hydrogen to lower-energy states, H₂(1/p) is formed insitu due to the catalysis of atomic hydrogen, the catalysis cell serves as the laser cavity, and an inverted population may be formed due to at least one of catalysis of atomic hydrogen and input power.

58. (Original) The laser of claim 1 further comprising a catalyst-hydrogen mixture to achieve at least one of the formation of H₂(1/p) and the formation of an inverted vibration-rotational population of H₂(1/p).

59. (Withdrawn - Currently Amended) The laser of claim 25 wherein the pressure of a mixture of a source of catalyst and atomic hydrogen source is maintained in the range of about 0.1 mTorr to 10,000 Torr, ~~preferably the pressure in the range of 10 mTorr to 5000 Torr; more preferably, the pressure is in the range of 100 Torr to 2000 Torr, and most preferably, the pressure is in the range of 500 Torr to 1000 Torr.~~

60. (Withdrawn - Currently Amended) The laser of claim 25 wherein the flow rate of the mixture of a source of catalyst and atomic hydrogen source is preferably ranges from about 0-1 standard liters per minute per cm³ of vessel volume and more preferably about 0.001-10 sccm per cm³ of vessel volume.

61. (Withdrawn - Currently Amended) The laser of claims claim 1 and or 25 wherein the power density of the source of pumping power such as the electron beam power is preferably in the range of ranges from about 0.01 W to about 100 W/cm³ vessel volume; more preferably it is in the range of about 0.1 to 10 W/cm³ vessel volume.

62. (Withdrawn - Currently Amended) The laser of claim 25 wherein the mole fraction of hydrogen in the catalyst-hydrogen gas is in the range of ranges from 0.001% to 90%. Preferably it is in the range of about 0.01% to 10%, and most preferably it is in the range of about 0.1% to 5%. The mole fraction of activator gas is in the range of 0.001% to 90%. Preferably it is in the range of about 0.01% to 10%, and most preferably it is in the range of about 0.01% to 1%.

63. (Withdrawn - Currently Amended) The laser of claim 62 wherein, the flow rate and pressure are maintained according to that of catalyst- hydrogen mixture to achieve these the desired mole fractions fraction.

64. (Withdrawn - Currently Amended) The laser of claim 25 wherein the source of catalyst is chosen from helium, neon, and argon, and the catalyst is chosen from He⁺, Ne⁺, Ne^{+/H⁺} or and Ar⁺.

65. (Withdrawn - Currently Amended) A laser comprising a laser cavity, cavity mirrors, and a source of applied power to maintain a hydrogen catalysis reaction, and an internal power source comprising a cell for the catalysis of atomic hydrogen to form novel hydrogen species and/or compositions of matter comprising new forms of hydrogen, and wherein at least one of the power from catalysis and an external power source maintains $H_2(1/p)$ in an excited vibration-rotational state from which stimulated emission may occurs.

66. (Currently Amended) A light source comprising:
a light-emitting medium comprising $H_2(1/p)$ where p is an integer and $1 < p \leq 137$,
a cavity comprising the light-emitting medium, and
a power source to cause the emission of light from an produce and maintain the
energy level of $H_2(1/p)$ for emission of light.

67. (Currently Amended) The light source of claim 66 wherein the emission is due to at least one of the transitions P(1), P(2), P(3), P(4), P(5), and P(6) of and R(0) of H(1/4) at about 154.94 nm, 159.74 nm, 165.54 nm, 171.24 nm, 178.14 nm, 183.14 nm, and 146.84 nm, respectively, and transitions between these corresponding states.

68. (Withdrawn) The compound of claim 25 comprising
(a) at least one neutral, positive, or negative increased binding energy hydrogen species having a binding energy
(i) greater than the binding energy of the corresponding ordinary hydrogen species, or

- (ii) greater than the binding energy of any hydrogen species for which the corresponding ordinary hydrogen species is unstable or is not observed because the ordinary hydrogen species binding energy is less than thermal energies at ambient conditions, or is negative; and
- (b) at least one other element.

69. (Withdrawn) A compound of claim 25 or 68 characterized in that the increased binding energy hydrogen species is selected from the group consisting of H_n , H_n^- and H_n^+ where n is a positive integer, with the proviso that n is greater than 1 when H has a positive charge.

70. (Withdrawn) A compound of claim 25 characterized in that the increased binding energy hydrogen species is selected from the group consisting of

(a) hydride ion having a binding energy that is greater than the binding of ordinary hydride ion (about 0.8 eV) for p = 2 up to 23 in which the binding energy is represented by

$$\text{Binding Energy} = \frac{\hbar^2 \sqrt{s(s+1)}}{8\mu_e a_0^2 \left[\frac{1+\sqrt{s(s+1)}}{p} \right]^2} - \frac{\pi \mu_0 e^2 \hbar^2}{m_e^2} \left(\frac{1}{a_H^3} + \frac{2^2}{a_0^3 \left[\frac{1+\sqrt{s(s+1)}}{p} \right]^3} \right)$$

where p is an integer greater than one, s = 1/2, π is pi, \hbar is Planck's constant bar, μ_0 is the permeability of vacuum, m_e is the mass of the electron, μ_e is the reduced electron

mass given by $\mu_e = \frac{m_e m_p}{\frac{m_e}{\sqrt{\frac{3}{4}}} + m_p}$ where m_p is the mass of the proton, a_H is the radius of the hydrogen atom, a_0 is the Bohr radius, and e is the elementary charge;

- (b) hydrogen atom having a binding energy greater than about 13.6 eV;
- (c) hydrogen molecule having a first binding energy greater than about 15.3 eV;

and

- (d) molecular hydrogen ion having a binding energy greater than about 16.3 eV.

71. (Withdrawn) A compound of claim 70 characterized in that the increased binding energy hydrogen species is a hydride ion having a binding energy of about 3, 6.6, 11.2, 16.7, 22.8, 29.3, 36.1, 42.8, 49.4, 55.5, 61.0, 65.6, 69.2, 71.6, 72.4, 71.6, 68.8, 64.0, 56.8, 47.1, 34.7, 19.3, and 0.69 eV.

72. (Withdrawn) A compound of claim 71 characterized in that the increased binding energy hydrogen species is a hydride ion having the binding energy:

$$\text{Binding Energy} = \frac{\hbar^2 \sqrt{s(s+1)}}{8\mu_e a_0^2 \left[\frac{1 + \sqrt{s(s+1)}}{p} \right]^2} - \frac{\pi \mu_0 e^2 \hbar^2}{m_e^2} \left(\frac{1}{a_H^3} + \frac{2^2}{a_0^3 \left[\frac{1 + \sqrt{s(s+1)}}{p} \right]^3} \right)$$

where p is an integer greater than one, $s = 1/2$, π is pi, \hbar is Planck's constant bar, μ_0 is the permeability of vacuum, m_e is the mass of the electron, μ_e is the reduced electron

mass given by $\mu_e = \frac{m_e m_p}{\frac{m_e}{\sqrt{\frac{3}{4}}} + m_p}$ where m_p is the mass of the proton, a_H is the radius of the hydrogen atom, a_0 is the Bohr radius, and e is the elementary charge.

73. (Withdrawn) A compound of claim 25 characterized in that the increased binding energy hydrogen species is selected from the group consisting of

(a) a hydrogen atom having a binding energy of about $\frac{13.6}{\left(\frac{1}{p}\right)^2} eV$ where p is an integer,

(b) an increased binding energy hydride ion (N^-) having a binding energy of about

$$\text{Binding Energy} = \frac{\hbar^2 \sqrt{s(s+1)}}{8\mu_e a_0^2 \left[\frac{1 + \sqrt{s(s+1)}}{p} \right]^2} - \frac{\pi \mu_0 e^2 \hbar^2}{m_e^2} \left(\frac{1}{a_H^3} + \frac{2^2}{a_0^3 \left[\frac{1 + \sqrt{s(s+1)}}{p} \right]^3} \right)$$

where p is an integer greater than one, $s = 1/2$, π is pi, \hbar is Planck's constant bar, μ_0 is the permeability of vacuum, m_e is the mass of the electron, μ_e is the reduced electron

mass given by $\mu_e = \frac{m_e m_p}{\frac{m_e}{\sqrt{\frac{3}{4}}} + m_p}$ where m_p is the mass of the proton, a_H is the radius of the hydrogen atom, a_0 is the Bohr radius, and e is the elementary charge;

(c) an increased binding energy hydrogen species $H_4^+(1/p)$;

(d) an increased binding energy hydrogen species trihydrino molecular ion,

$H_3^+(1/p)$, having a binding energy of about $\frac{22.6}{\left(\frac{1}{p}\right)^2}$ where p is an integer,

(e) an increased binding energy hydrogen molecule having a binding energy of about $\frac{15.3}{\left(\frac{1}{p}\right)^2}$; and

(f) an increased binding energy hydrogen molecular ion with a binding energy of about $\frac{16.3}{\left(\frac{1}{p}\right)^2}$

74. (Withdrawn - Currently Amended) The ~~catalyst of claim 25~~ laser of claim 1, further comprising a catalyst comprising a chemical or physical process that provides a net enthalpy of $m \cdot 27.2 \pm 0.5$ eV where in m is an integer or $m/2 \cdot 27.2 \pm 0.5$ eV where m is an integer greater than one.

75. (Withdrawn - Currently Amended) The ~~catalyst of claim 25~~ laser of claim 74, wherein said catalyst that provides a net enthalpy of $m \cdot 27.2 \pm 0.5$ eV where m is an integer or $m/2 \cdot 27.2 \pm 0.5$ eV where m is an integer greater than one corresponding to a resonant state energy level of the catalyst that is excited to provide the enthalpy.

76. (Withdrawn - Currently Amended) The ~~cell of claim 25~~ laser of claim 74, wherein said catalyst comprises a catalytic system is provided by the ionization of t electrons from a participating species such as an atom, an ion, a molecule, and an ionic

or molecular compound to a continuum energy level such that the sum of the ionization energies of the t electrons is approximately $m \cdot 27.2 \pm 0.5$ eV where m is an integer or $m/2 \cdot 27.2 \pm 0.5$ eV where m is an integer greater than one and t is an integer.

77. (Withdrawn - Currently Amended) The ~~plasma cell of claim 25~~ laser of claim 74, wherein the catalyst is provided by the transfer of t electrons between participating ions; the transfer of t electrons from one ion to another ion provides a net enthalpy of reaction whereby the sum of the ionization energy of the electron donating ion minus the ionization energy of the electron accepting ion equals approximately $m \cdot 27.2 \pm 0.5$ eV where m is an integer or $m/2 \cdot 27.2 \pm 0.5$ eV where m is an integer greater than one and t is an integer.

78. (Withdrawn - Currently Amended) The ~~catalyst of claims 74, 75, 76, and 77~~ preferably laser of claim 74, wherein m is an integer less than 400.

79. (Withdrawn - Currently Amended) The ~~catalyst of claim 75~~ laser of claim 74, said catalyst comprising He⁺ which absorbs 40.8 eV during the transition from the $n = 1$ energy level to the $n = 2$ energy level which corresponds to $3/2 \cdot 27.2$ eV ($m=3$) that serves as a catalyst for the transition of atomic hydrogen from the $n = 1$ ($p = 1$) state to the $n = 1/2$ ($p = 2$) state.

80. (Withdrawn - Currently Amended) The ~~catalyst of claim 25~~ laser of claim 74, said catalyst comprising Ar²⁺ which absorbs 40.8 eV and is ionized to Ar³⁺ which corresponds to $3/2 \cdot 27.2$ eV ($m = 3$) during the transition of atomic hydrogen from the $n = 1$ ($p = 1$) energy level to the $n = 1/2$ ($p = 2$) energy level.

81. (Withdrawn - Currently Amended) The ~~catalyst of claim 25~~ laser of claim 74, said catalyst comprising at least one of Li, Be, K, Ca, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As, Se, Kr, Rb, Sr, Nb, Mo, Pd, Sn, Te, Cs, Ce, Pr, Sm, Gd, Dy, Pb, Pt, He⁺, Na⁺, Rb⁺, Sr⁺, Fe³⁺, Mo²⁺, Mo⁴⁺, and In³⁺.

82. (Withdrawn - Currently Amended) A ~~catalyst of atomic hydrogen of claim 25~~ laser of claim 74, wherein said catalyst is capable of providing a net enthalpy of m·27.2 ± 0.5 eV where m is an integer or m/2·27.2 ± 0.5 eV where m is an integer greater than one, and capable of forming a hydrogen atom having a binding energy of about $\frac{13.6eV}{\left(\frac{1}{p}\right)^2}$ where p is an integer wherein the net enthalpy is provided by the breaking of a molecular bond of the catalyst and the ionization of t electrons from an atom of the broken molecule each to a continuum energy level such that the sum of the bond energy and the ionization energies of the t electrons is approximately m·27.2 ± 0.5 eV where m is an integer or m/2·27.2 ± 0.5 eV where m is an integer greater than one.


83. (Withdrawn - Currently Amended) The ~~catalyst~~ laser of claim 82 wherein the catalyst comprises comprising at least one of C₂, N₂, O₂, CO₂, NO₂, and NO₃.

84. (Currently Amended) The ~~laser catalyst of claim 1, further comprising~~ a catalyst comprising a molecule in combination with an ion or atom-catalyst.


85. (Currently Amended) The ~~catalyst-laser combination of claim 84,~~ wherein the catalyst comprises comprising at least one molecule selected from the group of chosen from C₂, N₂, O₂, CO₂, NO₂, and NO₃ in combination with at least one

atom or ion selected from the group of chosen from Li, Be, K, Ca, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As, Se, Kr, Rb, Sr, Nb, Mo, Pd, Sn, Te, Cs, Ce, Pr, Sm, Gd, Dy, Pb, Pt, Kr, He^+ , Na^+ , Rb^+ , Sr^+ , Fe_3^+ , Mo_2^+ , Mo_4^+ , In_3^+ , He^+ , Ar^+ , Xe^+ , Ar_2^+ and H^+ , and Ne^+ , and H^+ .

86. (Withdrawn) The catalyst of claim 25 comprising helium excimer, Ne_2^* , which absorbs 27.21 eV and is ionized to 2Ne^+ , to catalyze the transition of atomic hydrogen from the (p) energy level to the (p + 1) energy level given by




And, and the overall reaction is




wherein a_H is the radius of an ordinary hydrogen atom, and $p \leq 137$.


87. (Withdrawn) The catalyst of claim 25 comprising helium excimer, He_2^* , which absorbs 27.21 eV and is ionized to 2He^+ , to catalyze the transition of atomic hydrogen from the (p) energy level to the (p + 1) energy level given by




And, and the overall reaction is



88. (Withdrawn) The catalyst of claim 25 comprising two hydrogen atoms which absorbs 27.21 eV and is ionized to $2H^+$, to catalyze the transition of atomic hydrogen from the (p) energy level to the (p + 1) energy level given by



And, the overall reaction is



89. (Withdrawn) A catalytic disproportionation reaction of atomic hydrogen wherein lower-energy hydrogen atoms, hydrinos, can act as catalysts because each of the metastable excitation, resonance excitation, and ionization energy of a hydrino atom is m X 27.2 eV.

90. (Withdrawn) The catalytic reaction of claim 66 of a first hydrino atom to a lower energy state affected by a second hydrino atom involves the resonant coupling between the atoms of in degenerate multipoles each having 27.21 eV of potential energy.

91. (Withdrawn) The catalytic reaction of claim 89 wherein the energy transfer of m X 27.2 eV from the first hydrino atom to the second hydrino atom causes the central field of the first atom to increase aH by m and its electron to drop m levels lower from a radius of $\frac{a_H}{p}$ to a radius of $\frac{a_H}{p+m}$

92. (Withdrawn) The catalytic reaction of claim 89 wherein the second interacting lower-energy hydrogen is either excited to a metastable state, excited to a resonance state, or ionized by the resonant energy transfer.

93. (Withdrawn) The catalytic reaction of claim 89 wherein the resonant transfer may occur in multiple stages.

94. (Withdrawn) The catalytic reaction of claim 93 wherein a nonradiative transfer by multipole coupling may occur wherein the central field of the first increases by m, then the electron of the first drops m levels lower from a radius of $\frac{a_H}{p}$ to a radius of $\frac{a_H}{p+m}$ with further resonant energy transfer.

95. (Withdrawn) The catalytic reaction of claim 89 wherein the energy transferred by multipole coupling may occur by a mechanism that is analogous to photon absorption involving an excitation to a virtual level.

96. (Withdrawn) The catalytic reaction of claim 89 wherein the energy transferred by multipole coupling during the electron transition of the first hydrino atom may occur by a mechanism that is analogous to two photon absorption involving a first excitation to a virtual level and a second excitation to a resonant or continuum level.

97. (Withdrawn) A catalytic reaction with hydrino catalysts for the transition of $H\left[\frac{a_H}{p}\right]$ to $H\left[\frac{a_H}{p+m}\right]$ induced by a multipole resonance transfer of m·27.21 eV and a

transfer of $[(p')^2 - (p'-m')^2]X \cdot 13.6eV - m \cdot 27.2eV$ with a resonance state of $H\left[\frac{a_H}{p'-m'}\right]$


excited in $H\left[\frac{a_H}{p'}\right]$ is represented by

$$H\left[\frac{a_H}{p'}\right] + H\left[\frac{a_H}{p}\right] \rightarrow \\ H\left[\frac{a_H}{p'-m'}\right] + H\left[\frac{a_H}{p+m}\right] + [((p+m)^2 - p^2) - (p'^2 - (p'-m')^2)] X 13.6 eV$$


where p, p', m, and m' are integers.

98. (Withdrawn) The catalytic reaction with hydrino catalysts wherein a hydrino atom with the initial lower-energy state quantum number p and radius $\frac{a_H}{p}$ may undergo a transition to the state with lower-energy state quantum number $(p+m)$ and radius $\frac{a_H}{(p+m)}$ by reaction with a hydrino atom with the initial lower-energy state quantum number m' , initial radius $\frac{a_H}{m'}$, and final radius a_H that provides a net enthalpy of $m \cdot 27.2 \pm 0.5$ eV where m is an integer or $m/2 \cdot 27.2 \pm 0.5$ eV where m is an integer greater than one.

99. (Withdrawn) The catalytic reaction of claim 98 of hydrogen-type atom, $H\left[\frac{a_H}{p}\right]$, with the hydrogen-type atom, $H\left[\frac{a_H}{m}\right]$, that is ionized by the resonant energy transfer to cause a transition reaction is represented by



And, the overall reaction is



100. (Withdrawn) The cell for the catalysis of atomic hydrogen of claim 25 wherein the catalyst comprises a mixture of a first catalyst and a source of a second catalyst.

101. (Withdrawn) The mixture of a first catalyst and a source of a second catalyst of claim 100 wherein the first catalyst produces the second catalyst from the source of the second catalyst.

102. (Withdrawn) The first catalyst of claim 101 that produces the second catalyst from the source of the second catalyst wherein the energy released by the catalysis of hydrogen by the first catalyst produces a plasma in the energy cell.

103. (Withdrawn) The first catalyst of claim 101 that produces the second catalyst from the source of the second catalyst wherein the energy released by the

catalysis of hydrogen by the first catalyst ionizes the source of the second catalyst to produce the second catalyst.

104. (Withdrawn) A laser comprising:

a plasma forming cell or reactor for the catalysis of atomic hydrogen producing power,

a continuous stationary inverted $H_2(1/p)$ population where p is an integer and $1 < p \leq 137$, and novel hydrogen species and compositions of matter comprising new forms of hydrogen,

a source of catalyst,

a source of atomic hydrogen,

a controller to cause atomic hydrogen to react with atomic hydrogen to form lower-energy states given by

$$E_n = -\frac{e^2}{n^2 8\pi\varepsilon_0 a_H} = -\frac{13.598 eV}{n^2} \text{ and } H_2(1/p)$$

$$n = \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \dots, \frac{1}{p}; \quad p \leq 137, \text{ and}$$

a means to form and output a laser beam.

105 -137. (Cancelled)

138. (Withdrawn - Currently Amended) A laser comprising:

a plasma forming cell or reactor for the catalysis of atomic hydrogen producing power, a continuous stationary inverted population with energy levels given by

$p^2(0.515 \pm 0.151)$ eV where p is an integer and novel hydrogen species and compositions of matter comprising hydrogen,
a source of catalyst,
a source of atomic hydrogen,
a controller to cause atomic hydrogen to react with atomic hydrogen to cause EUV emission lines with energies of $q \cdot 13.6$ eV where q is an integer, and
a means to form and output a laser beam.

139. (Withdrawn) The laser of claim 25 further comprising a means to provide water vapor to the plasma and a means to remove hydrogen and oxygen dissociated from the water vapor by the plasma such that the gases are collected as industrial gases.

140. (Withdrawn) The laser of claim 25 further comprising an electron beam from a gun wherein the beam energy is tunable and the free electrons serve as the catalyst wherein the free electrons undergo an inelastic scattering reaction with hydrogen atoms.

Claims 141-147. (Cancelled)

148. (Withdrawn) A light source comprising: a light emitting state of any lower-energy hydrogen species; and a power source to form the light emitting state.

149. (New) The laser of claim 3 wherein the vibration-rotational excitation occurs by at least one of a direct collisional excitation and an energy exchange with an excited state species.

150. (New) The laser of claim 5 wherein at least one of the direct excitation and the excitation of the activator occurs by collision with an energetic particle.